	Receiving Report												
	yes No Cash Cr		Batch Dart Felease Note A Jaybill Attache hipment Complete Inspection Jork Order	ottached: Year old: Year o	es / No	o <u>Z</u>							
Discrepancies Part	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments							
Number		0100.00											
						000							
		Initial	s of receiver	(if shipment	OK) Level	12 >4/							
Production/A Date Received/Co Initial	09/08/10	;			Loca	tion							

H:\FORMS\Purchasing\approved purch\RECREPORT Rev D



Magna Stainless

5775 Kieran St, Saint-Laurent QC H4S 0A3 Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105

INVOICE

, ON

Pg 1 of 1

I014892

SOLD TO:

RECEIVED AUG 1 0 2009

DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY , ON K6A 1K7

K6A 1K7

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY

SHIP TO:

MTR:Y

INVOICE DATE:	08/04/09	
ORDER DATE:	07/29/09	
SHIP DATE:	08/04/09	
ORDER NUMBER:	W016380	
PURCHASE ORDER:	P010123	

Currency Sales Person						Ship Via		F.O.B.		erms
CZ	NADIAN DOLL	ARS	ERYC			NIR:R-557065-1	PRI	EPAID	NET 30 D	AYS
_	Back Ordered		dered	Unit		Description		Shipped	Price Per	Value
Ln	Back Ordered				STAINLESS FI SFL 304 HR 1/2 L029911		· · · · · · · · · · · · · · · · · · ·	1 UN	215.00	215.00

08/05/09 11:49:26

Title to the goods sent out on this invoice remains with Magna Stainless Div of CSM ULC until such time as this invoice has been paid in full. Unless otherwise noted terms are 30 days. Interest accrues on all overdue accounts at the rate of 1.5% per month compounded monthly.

215.00 Merchandise: Surcharges: No Tax Costs: 10.75 GST 225.75 Total Due:

Q.S.T. # 1213236471 G.S.T. # 881565899 RT0001

Purchase Order Receipt Listing

August 10, 2009 11:16:39 AM

All amounts are calculated in domestic currency.

All Vendors PO ID po10123 Receipt Dates from 8/10/09 to 8/10/09 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line I Nbr/ Insp Req		Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Ve PO10123 CAD	ndor Name 6 No	VC-F	MAG002 Magna M304B0.500X2.50 304 BAR .500 x 2.5		7/27/09 20.0000	8/10/09 LAVO01	12.0090	Total	0.0000 0.0000 Total Received Q I Qty to Inspect (P Total Reject Q Total Receipotal Balance Due Q	O U/M): puantity: ot Value:	\$258.19 CJ 12.0090 0.0000 0.0000 \$258.19 0.0000



Magna Stainless

5775 Kieran St, Saint-Laurent, Quebec H4S 0A3 Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105

PACKING LIST

(K-) [1014892 Page: 1 of 1

SOLD TO: DART AEROSPACE LTD 1270 ABERDEEN STREET

SHIP TO: DART AEROSPACE LTD 1270 ABERDEEN STREET SPECIAL INSTRUCTIONS

HAWKESBURY , ON K6A 1K7

Contact: LINDA

HAWKESBURY , ON

K6A 1K7

Ship Terms: PREPAID

MAGNASA#

QC2

	Currency	Sales P	erson	Customer Phone	Customer Fax	Custo	Customer PO P010123 e Required Date Shipped		
CANADIAN DO		ERYCK BLAIS					010123		
Sales Order	Te	erms		Ship Via	Date Ordered I	Date Required	Date Shipped		
	NET 30 DAYS		NIR:R-55706	55-1	07/29/09	08/04/09	08/04/09		

(Ordered	Back Ordered	Unit	Description	Bundle #	Heat #	Shipped
	1		PC	STAINLESS FLATS SFL 304 HR 1/2" x 2-1/2" x R/L 12'11" 56 LB / 1 PC	L029911	245179	1
				9/8/-1 54			
	Pieces: 1				Total	Weight:	56 LB

Received by:	Date:	Signature	9:



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO10123

Purchase Order Date 7/23/2009 PO Print Date 7/23/2009

Page Number 2 of 3

	ger From :		VC	C-MAG002				
g.	MAGNA STAINLES 5775 RUE KIERAN ST LAURENT, QC CA	Ĭ						
	Contact Name Vendor Phone Vendor Fax Vendor Account Nbr	800 363 6646 514 339 1105		Tax Ter	quisition Nbr x Resale Nbr rms	Linda Lacelle 10127-2607 Net 30 CAD		
4	M2024T3S.040	2024-T3 .040) sheet	7/27/2009 Yes	128.00 sf	7 -	\$8.9100 7 Ki 9/V3)	\$1,140
		ę	Special Inst:	4 SHEETS OF 4 SPECS AS PER	4' X 8' R ABOVE			
5	M303R0.500	303 Round B	ar 0.500"	7/27/2009 Yes	40.00 f	Yours ppd	\$1.7000 (Les fix/1/34	\$68
		910154 5	Special Inst:	AISI 303 ROUN (AISI 304/316 N	NOT ACCEPTABL)	
6	M304B0.500X2.500	00 304 BAR .500	10 x 2.50	7/27/2009 Yes	∠20.00 f	O Yours ppd f Nei 12 /	\$21.5000 PSED [c4/7/3]	\$430
	•	ę	Special Inst:	AISI 304/316 S (AISI 303 NOT	SS BAR (ACCEPTABLE)			
7	M304B0.625X3.000	00 304 BAR .62	25 X 3.00	7/23/2009 Yes	6-10.00 :	0 Yours ppd f /3.10 /2 /	, \$31.0000 4/1/30	\$ 310
	÷	1	Special Inst:	AS ABOVE	_			
8	M304S12GA	304/316 0.10	00" Sheet	7/27/2009 Yes	√ 32.00 sf	0 Yours ppd sf	\$8.1250	\$260
			Special Inst:	AISI 304/316 S ANNEALED	SS SHEET	• • • • • • • • • • • • • • • • • • • •		

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

Change Date: 7/23/2009

2B FINISH

Acciaierie Valbruna s.p.A.





CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE **CERTIFICAT DE RECEPTION** EN 10204 (2005), 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i. Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente 7 a VALBRUNA CANADA LTD 8724 HOLGATE CRESCENT CDN-MILTON, ONT L5T 5Z1-CAN

Produttore: ACCIAIERIE VALBRUNA S.P.A.

Oggetto Prove: Descaled Annealed Hotrolled

Avviso di Spedizione: D-VI08014292

Ordine nr: 805001970 STOCK

Tipo di Elaborazione: E+AOD

Certificato nr: MEST632454/2008/

Conferma ordine nr: E108008070 Works/Our Order/Ret nr.

Marchio di Fabbrica: Zeichen des Lielermverkos Trade mark Sigle de l'usine produtrico

Punzone del Collaudatore:



Specifiche: VAL CANADA 2 304/304L A ASME SA182 2007 S30400/03 o ASME SA479 2007 S30400/03 3 ASTM A262 2002A PRACTICE E ASTM A320 2007A B8 NACE MR0175* 2003 S30400/03 A 5

(0) SEC.II PT A 2007 EDITION (1) SEC.II PT A 2007 EDITION (3) SEC.II PT A 2007 EDITION (5) * ISO 15156-3

AMS 5639 H S30400 ASME SA193 2007 B8 1 ASTM A182 2007A S30400/03 4 ASTM A276 2006 S30400/03 ASTM A479 2006A S30400/03 QQ-S-763 F 304/304L

0Chemical analysis only. 2SEC.II PT.A 2007 EDITION 4Chemical analysis only.

AMS 5647 H S30403 ASME SA320 2007 B8 (2) ASTM A193 2007 B8 ASTM A314 97 S30400/03 MIL-S-862 B/1 304/304L

X 0/4.03.0

Qualitá: T-304L

Marca: AISL

Punzonatura: T-304L

					venuseacountubustatunidustat					
		Oggetto Gegensland Product description Descrip, du produit		Tolleranza Tolleranz. Allowance Toleranco	Lunghezza - Ft Lange Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahi Pieces Pieces	Peso - LB Gewicht Weight Paids	Lotto nr. Losnr. Lot nr. Lot nr.	
٠	0040	Flat	2,5000 x 0,5000	484-06B	12 / 13	245179		3.104	707600210	

Sono state soddisfatte tutte le condizioni richieste Die gestellen Anlorderungen sind it. Anlage erfüllt The material has been turnished in accordance with the requirements

Controllo antimescolanza: OK Verwechslungprüfung: spectratanalyl Antimixing testing performed: OK

Controllo visivo e dimensionale: soddisfa le esigenze: Besichtigung und Ausmessung: ohne Beanstandung Visual inspection and dimensional checks:salistactory

Ge materier	s ete nonse coulonne s	ux exigence	\$		Contrôle antimelan	ge falt: r.a.s.			Con	trôle visual et dime	nsions: satislaisant	rana species		
TEST	Provetta/erobestib Specimen/Eprovetto Largidam Spess. Brille Diam. Oldie Width Diam. Thickness Larg. diem. epols mm	۰F	Posiz. Saggio Prometer Least on Emplanement	Snervamento Stretgrenze Yeld Stress Unite statique Rp 0,2% K.s.i.	Snervamento Streckgrenzo Yierd Stress Umito etssiiquo	Resistenza Zugirstiykalı Tensir strengih Resistance d iraciton Rm; k.s.i.	Bruch: Elon	amento http://g paston pement E 4d %	Einse Reduct Si	izione chrutung tion of area riction RA %	Resilien: Kerbschägst Import Value Rasiliance	ell	Durez: Harto Hartoez: Ourete HB	•
Antigracien	ori richiesti 1 IngovRequired values ovus demandees	mi ma		30	•	75 115	•	40	-	50	-	·-·	140 223	
A	12,5	68	L	47		91	7.2.2.	58		67			179	Τ-

Grain size for ASTM E112

Analisi chimica

Colata /Heat Schmelze/Coulée	min - max 0,030	- 1.00	2,00	18,00 20,00	1.00	1,00	8,00 10,50	:	0,040	0,030	0,100	-	:	:
	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	Co %	Р%	S %	N %		 	
245179	0,020	0,42	1,67	18,10	0,54	0,48	8,22	0,100	0,031	0,029	0,081			

Produced without class I-II Ozone depleting substances.

Solution heat treated free from continuous carbide network.

Annealing temperature: 1940°F for 0.5 h/water.

Micro and macro etch test: OK

Intergranular corrosion test per ASTM A262 pract. E: ok.

Material is DFARS Compliant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury or radio-activity contamination The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1.s.,4.3 by TUEV and LLOYO'S

Vicenza,21/05/08 (Mod. MCER)

Il collaudatore di stabilimento / der Werkssachverständige// Works, inspector / L'agent d'usine M.Rizzoty Just

Pagina - 1 di 1